

Issue Date: 25-Oct-2010

Revision Date: 10-Dec-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** High Power Stripper

### Other means of identification

**SDS #** WC-010  
**Product Code** #108  
**UN/ID No** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** Solvent.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Wepak Corporation  
314 W. Bland St.  
Charlotte, NC 28203

### Emergency Telephone Number

**Company Phone Number** 1-800-438-4270  
**Emergency Telephone (24 hr)** 1-800-438-4270

## 2. HAZARDS IDENTIFICATION

**Appearance** Blue/Green liquid      **Physical State** Liquid      **Odor** Solvent

### Classification

Skin corrosion/irritation	Category 1	Sub-category C
Serious eye damage/eye irritation	Category 1	

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage



### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Unknown Acute Toxicity**

2.16% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary
Potassium hydroxide	1310-58-3	Proprietary
Diethylene Glycol Monobutyl Ether	112-34-5	Proprietary
Monoethanolamine	141-43-5	Proprietary
Sodium xylenesulfonate	1300-72-7	Proprietary
Tetrapotassium pyrophosphate	7320-34-5	Proprietary
Isopropyl alcohol	67-63-0	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Seek immediate medical attention/advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse mouth. Drink vinegar, lemon, or orange juice. Call a physician or poison control center immediately.

**Most important symptoms and effects**

<b>Symptoms</b>	May cause eye burns and permanent eye damage. Prolonged contact may even cause severe skin irritation or mild burn.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Water. Foam. Dry chemical.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Non-flammable solution.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Soak up with inert absorbent material. Place in appropriate containers for disposal.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Store away from incompatible materials.

**Incompatible Materials** Acids. Metals. Explosives. Organic Peroxides.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Local exhaust ventilation recommended.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Face shield.

**Skin and Body Protection** Rubber gloves or vinyl gloves. Rubber apron.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Wash contaminated clothing before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Solvent
<b>Appearance</b>	Blue/Green	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Blue/Green		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	14		
<b>Melting Point/Freezing Point</b>	Not available		
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F		
<b>Flash Point</b>	None		
<b>Evaporation Rate</b>	Not available		
<b>Flammability (Solid, Gas)</b>	n/a-liquid		
<b>Upper Flammability Limits</b>	None		
<b>Lower Flammability Limit</b>	None		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not available		
<b>Specific Gravity</b>	1.04	(1=Water)	
<b>Water Solubility</b>	Completely soluble		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Acids. Metals. Explosives. Organic Peroxides.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be harmful if swallowed.

### Component Information

<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Inhalation LC50</u>
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Potassium hydroxide 1310-58-3	= 214 mg/kg ( Rat )	-	-
Diethylene Glycol Monobutyl Ether 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Monoethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit ) = 1025 mg/kg ( Rabbit )	-
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg ( Rat )	-	-
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rat ) = 12870 mg/kg ( Rabbit )	= 72.6 mg/L ( Rat ) 4 h

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		
Isopropyl alcohol 67-63-0		Group 3		X

**Legend**

- ACGIH (American Conference of Governmental Industrial Hygienists)**
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
- Group 3 IARC components are "not classifiable as human carcinogens"
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
- X - Present

**Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity** 2.16% of the mixture consists of ingredient(s) of unknown toxicity.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static		2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Potassium hydroxide 1310-58-3	0.83
Monoethanolamine 141-43-5	-1.91
Isopropyl alcohol 67-63-0	0.05

### Other Adverse Effects

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

- Disposal of Wastes**                      Disposal should be in accordance with applicable regional, national and local laws and regulations.
  
- Contaminated Packaging**              Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION**

**Note**    Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

- UN/ID No**                                      UN1760
- Proper Shipping Name**                  Corrosive liquid, n.o.s. (Potassium hydroxide, Monoethanolamine)
- Hazard Class**                                8
- Packing Group**                              III

**IATA**

- UN/ID No**                                      UN1760
- Proper Shipping Name**                  Corrosive liquid, n.o.s. (Potassium hydroxide, Monoethanolamine)
- Hazard Class**                                8
- Packing Group**                              III

**IMDG**

- UN/ID No**                                      UN1760
- Proper Shipping Name**                  Corrosive liquid, n.o.s. (Potassium hydroxide, Monoethanolamine)
- Hazard Class**                                8
- Packing Group**                              III



**15. REGULATORY INFORMATION**

**International Inventories**

Not determined

**US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	Proprietary	1.0
Isopropyl alcohol - 67-63-0	67-63-0	Proprietary	1.0

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 ( Proprietary )	1000 lb			X

**US State Regulations**

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X
Diethylene Glycol Monobutyl Ether 112-34-5	X		X
Monoethanolamine 141-43-5	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> 3	<b>Flammability</b> 1	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Not determined

Issue Date: 25-Oct-2010  
Revision Date: 10-Dec-2013  
Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**