

Safety Data Sheet

Issue date 19-Aug-2014 Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name SPRAYPAK ALL-PURPOSE CLEANER

Chemical name 7-7816-2

Other means of identification

Product code FG 433-4102-7

Synonyms General purpose cleaner

Recommended use of the chemical and restrictions on use
Recommended Use Various types of surfaces.
Uses advised against DO NOT USE ON FLOORS

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressChase Products Co.Chase Products Co.2727 Gardner Road2727 Gardner RoadBroadview, IL 60155Broadview, IL 60155708-273-1121708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

| Acute toxicity - Inhalation (Gases) | Category 4 |
|-------------------------------------|----------------|
| Serious eye damage/eye irritation | Category 2 |
| FLAMMABLE AEROSOLS | Not classified |

Label Elements

EMERGENCY OVERVIEW

WARNING

hazard statements HARMFUL IF INHALED Causes serious eye irritation



appearance Clear liquid that will be Physical State Aerosol Odor Perfumed.

aerosolized.

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.
Use only outdoors or in a well-ventilated area
Wash face, hands and any exposed skin thoroughly after handling
Wear eye protection.

Precautionary Statements - Response

Specific measures. See First Aid Measures on this SDS.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eve irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell.

Precautionary Statements - Storage

Prevent this container from coming in contact with water for a prolonged period of time. Always keep container in a cool, dry place . Do not store at temperatures above 122 F (50 C).

Precautionary Statements - Disposal

Recycle empty can where available or discard in the trash. Pressurized container: Do not pierce or burn, even after use

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

- 2-Butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage.
- Causes mild skin irritation

No information available

3. Composition/information on Ingredients

Common NameAll-purpose cleaner.SynonymsGeneral purpose cleaner.

Chemical FamilyMIXTURES.Formula7-7816-2

Chemical nature Aqueous solution of organic solvent.

| Chemical name | CAS No | weight-% | Trade secret |
|-------------------|-----------|----------|--------------|
| Water | 7732-18-5 | 90-95 | * |
| 2-Butoxyethanol | 111-76-2 | 1-5 | * |
| N-Butane | 106-97-8 | 1-5 | * |
| Diacetone alcohol | 123-42-2 | <1 | * |
| Propane | 74-98-6 | <1 | * |

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

inhalation If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get

medical attention if injury develops.

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

INGESTION Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation. Chronic:

2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney

damage.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning upClean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|----------------|---|--|
| 2-Butoxyethanol 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³ |
| N-Butane 106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm TWA: 1900 mg/m ³ |
| Diacetone alcohol 123-42-2 | TWA: 50 ppm | TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 240 mg/m³ | IDLH: 1800 ppm TWA: 50 ppm TWA: 240 mg/m³ |
| Propane 74-98-6 | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ |

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves, if desired.

Respiratory protection None required if used in a well-ventilated area .

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

appearance Clear liquid that will be aerosolized. Odor Perfumed.

color clear

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 10.2 +/- 0.5

Melting point/freezing point Not applicable
Boiling point/boiling range Water 212 °F/100 °C

Flash Point Not Available. This is an aerosol

product for which Flame Projection is 0 inches. Temperatures above 120 F

may cause cans to burst. Faster than butyl acetate

Evaporation Rate flammability (solid, gas) Flammability Limits in Air

Upper flammability limits Not available Lower Flammability Limit Not available

vapor pressure

Specific gravity 0.99 +/-0.007 concentrate

Water solubility Soluble in water

OTHER INFORMATION

VOC content (%) 7.85

density 8.24 - 8.31 lb/gal

Bulk Density

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 120 F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 120 F.

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but

consider unlikely).

inhalation Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Eye Contact Can cause irritation after contact with eyes.

Skin contact May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

INGESTION This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red

blood cell hemolysis and possible liver and kidney damage.

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|-------------------------------|-------------------|--------------------------|------------------------|
| Water 7732-18-5 | > 90 mL/kg(Rat) | - | - |
| 2-Butoxyethanol 111-76-2 | = 470 mg/kg (Rat) | = 99 mg/kg(Rabbit) | = 450 ppm (Rat) 4 h |
| N-Butane 106-97-8 | - | - | = 658 g/m³ (Rat) 4 h |
| Diacetone alcohol 123-42-2 | = 4 g/kg (Rat) | = 13500 mg/kg (Rabbit) | - |

| Propane | - | - | = 658 mg/L (Rat) 4 h |
|---------|---|---|----------------------|
| 74-98-6 | | | - ' ' |

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Serious eye damage/eye irritation Can cause irritation after contact with the eyes.

corrosivityNot applicable.sensitizationNo a skin sensitizer.Germ Cell MutagenicityNo information available.

carcinogenicity Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| 2-Butoxyethanol | A3 | Group 3 | | |
| 111-76-2 | | · | | |

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 12107 mg/kg
ATEmix (dermal) 28329 mg/kg
ATEmix (inhalation-gas) 18018 mg/l
ATEmix (inhalation-dust/mist) 57 mg/l
ATEmix (inhalation-vapor) 31348 mg/l

12. Ecological Information

This product does not contain marine pollutants.

ecotoxicity

3.9200000000001% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|-------------------------------|----------------------|---|----------------------------|---|
| 2-Butoxyethanol 111-76-2 | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50 |
| Diacetone alcohol 123-42-2 | | 420: 96 h Lepomis macrochirus mg/L LC50 static 420: 96 h Lepomis macrochirus mg/L LC50 | | 8750: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|-------------------------------|-----------------------|
| 2-Butoxyethanol 111-76-2 | 0.81 |
| N-Butane 106-97-8 | 2.89 |
| Diacetone alcohol 123-42-2 | 1.03 |
| Propane 74-98-6 | 2.3 |

Other adverse effects

No information available

Ozone

This product does not contain CFCs or other ozone depleting substances. Federal

regulations prohibit the use CFC propellants in aerosols.

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

14. Transport Information

DOT Limited quantity (LQ) General purpose cleaner

UN/ID no UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2.

Marine pollutant This product does not contain marine pollutants.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

| Chemical name | CAS No | weight-% | SARA 313 - Threshold |
|---------------|--------|----------|----------------------|
| | | | Values % |

| 2-Butoxyethanol - 111-76-2 | 111-76-2 | 1-5 | 1.0 |
|----------------------------|----------|-----|-----|

SARA 311/312 Hazard Categories

| Acute Health Hazard | yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Water 7732-18-5 | | | X |
| 2-Butoxyethanol 111-76-2 | X | X | X |
| N-Butane 106-97-8 | X | X | X |
| Diacetone alcohol 123-42-2 | X | X | X |
| Propane 74-98-6 | X | X | X |

U.S. EPA Label information

EPA Pesticide registration number Not applicable

| 16. Other information | | | | |
|-----------------------|------------------|----------------|--------------------|---|
| NFPA | Health Hazards 1 | Flammability 1 | Instability 1 | Physical and chemical properties Not applicable |
| <u>HMIS</u> | Health Hazards 1 | Flammability 2 | Physical Hazards 1 | Personal Protection B - Eyes and hands protection |

Issue date 19-Aug-2014

Revision note

This SDS supersedes a previous MSDS dated February 09, 2013.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet